


# Oven

## BE 5303071 M


### Multifunction

Multifunction MaxiKlasse™ (74 litre capacity) oven  
 8 cooking functions + fast heat up  
 Fully programmable Optisight electronic timer  
 Electronically regulated temperature settings - between  
 30 °C and 300 °C  
 Digital display  
 Illuminated retractable rotary controls  
 ThermiC Hot Air cooking technology  
 OptiFlex™ 5-level shelves position  
 Cooling fan  
 Isofront Plus triple glazed door  
 Safety auto off  
 Child safety lock  
 Easy to Clean diamond-glazed enamel interior  
 Inner door with removable glasses  
 Reclinable grill and top element  
 2 baking trays, 1 grill rack  
 Telescopic shelf runners (optional)  
 Internal FloodLight™  
 SoftMotion™ hinges  
 A-20% class energy efficiency  
 Fingerprint proof stainless steel



Oven  
**BE 7304071 M**  
Multifunction

Multifunction MaxiKlasse™ (74 litre capacity) oven  
 13 cooking functions + fast heat up  
 Fully programmable LCD touch-control ProSight display  
 Electronically regulated temperature settings - between  
 30 °C and 300 °C  
 Menù guided cooking (20 auto cook recipes)  
 Food probe  
 ThermiC Hot Air cooking technology  
 OptiFlex™ 5-level shelves position  
 Cooling fan  
 Isofront® Top door with heat-reflective coating  
 Safety auto off  
 Child safety lock  
 Easy to Clean diamond-glazed enamel interior  
 Inner door with removable glasses  
 Reclinable grill and top element  
 2 baking trays, 1 grill rack  
 Telescopic shelf runners (optional)  
 Internal FloodLight™  
 SoftMotion™ hinges  
 A-30% class energy efficiency  
 Fingerprint proof stainless steel




# Oven

## BP 7314071 M

### Multifunctional

Multifunction MaxiKlasse™ (74 litre capacity) oven with  
 Pyroluxe® Plus self-cleaning system  
 13 cooking functions + fast heat up  
 Fully programmable LCD touch-control ProSight display  
 Electronically regulated temperature settings - between  
 30°C and 300°C  
 Menü guided cooking (20 auto cook recipes)  
 Food probe  
 ThermiC° Hot Air cooking technology  
 OptiFlex™ 5-level shelves position  
 Cooling fan  
 Isofront® Top door with heat-reflective coating  
 Safety auto off  
 Child safety lock  
 3 self-cleaning programmes (light, standard and intensive)  
 Easy to Clean diamond-glazed enamel interior  
 Inner door with removable glasses  
 FlexiRunners™ - telescopic shelf runners  
 2 baking trays, 1 grill rack  
 Internal FloodLight™  
 SoftMotion™ hinges  
 A-30% class energy efficiency  
 Fingerprint proof stainless steel



## Microwave MCC 3881 E-M Combination

Fan oven cooking with microwave, fan oven cooking, microwave, traditional grill and traditional grilling with microwave

Special defrost function

Digital touch controls with fully interactive LCD display

Digital clock with auto timer

Electronic temperature setting between 50 °C and 275°C

8 autoweight cooking programmes

8 autoweight defrosting programmes

Microwave power: 1000 W

5 power levels

Convection output: 1600 W

Grill power: 1500 W

32 litre cavity


Stainless steel internal cavity

Child safety lock

Reclinable grill

Ø 32cm turntable, baking tray, grill rack


Fingerprint proof stainless steel



## Microwave MCD 2664 E-M Combination



---

Combi microwave and grill cooking  
 Rotary knob with electronic push controls  
 24-hour digital clock with auto timer  
 8 auto weight cooking programmes  
 4 auto weight defrosting programmes  
 Microwave power: 900 W  
 5 power levels  
 Grill power: 1000 W  
 26 litre cavity  
 Stainless steel internal cavity  
 Cooling fan  
 Child safety lock  
 Audible cooking end signal  
 Fingerprint proof stainless steel





## Ceramic hob HK 654070 XB Electric

Electric ceramic hob  
60 cm wide  
4 heat zones, combining a triple-ring zone, a double-ring zone with an oval multi-purpose zone  
Electronic DirekTouch controls  
14 power levels  
Digital power indicators  
Automax function (Automatically reduces heat to preset power level after boiling)  
Stop+Go function  
Minute minder  
CountUp Timer  
Öko Timer (residual heat cooking)  
Audible cooking end signal  
Residual heat indicators  
Safety auto switch off  
Child safety lock  
Control lock  
Optifix™ - easy installation system  
OptiFit Frame™ - Stainless steel frame



## Ceramic hob HK 634206 XB Induction



Induction hob with Power-Management  
Technology  
60 cm wide  
4 heat zones  
Adjustable energy consumption starting from 1,5  
kW  
Electronic touch controls  
9 power levels  
Digital power indicators  
Automax function (Automatically reduces heat to  
preset power level after boiling)  
Stop+Go function  
Powerful booster function  
Minute minder  
Audible cooking end signal  
Residual heat indicators  
Safety auto switch off  
Child safety lock  
Control lock  
Optifix™ - easy installation system  
OptiFit Frame™ - Stainless steel frame



## Ceramic hob HK 683326 XG Induction



MaxiSense® Induction hob  
 60 cm wide  
 3 heat zones combining 2 zones for pans  
 between Ø 12 and 21 cm and 1 double-ring zone  
 Adjustable energy consumption starting from 1,5  
 kW  
 Bridge function  
 MaxiSight™ colour display  
 DirekTouch controls  
 14 power levels  
 Digital power indicators  
 Automax function (Automatically reduces heat to  
 preset power level after boiling)  
 Stop+Go function  
 Powerful booster function  
 Minute minder  
 CountUp Timer  
 Öko Timer (residual heat cooking)  
 Audible cooking end signal  
 4-level residual heat indicators  
 Safety auto switch off  
 Child safety lock  
 Control lock  
 Optifix™ - easy installation system  
 OptiFit Frame™ - Stainless steel frame





# Hob

## HK 884406 XG

### Induction

MaxiSense® Induction hob

75 cm wide

4 heat zones for pans between Ø 12 and 21 cm –  
includes zones for rectangular or oval pans

Adjustable energy consumption starting from 1,5  
kW

MaxiSight™ colour display

DirekTouch controls

14 power levels

Digital power indicators

Automax function (Automatically reduces heat to  
preset power level after boiling)

Stop+Go function

Powerful booster function

Minute minder

CountUp Timer

Öko Timer (residual heat cooking)

Audible cooking end signal

4-level residual heat indicators



Safety auto switch off

Child safety lock

Control lock

Optifix™ - easy installation system

OptiFit Frame™ - Stainless steel frame




# Refrigerator

## SKS 58200 F0

### Door on Door

Door on Door refrigerator  
 Total net capacity 136 litres  
 Super insulated  
 Automatic defrost in fridge  
 Reversible door hinge  
 A+ class energy efficiency


3 glass shelves  
 1 glide-out vegetable drawer  
 1 dairy compartment  
 1 sliding door shelf  
 1 bottle shelf



# Fridgefreezer SKS 58240 F0 Door on Door

Door on Door refrigerator with \*\*\*\* freezer compartment  
Super insulated  
Total net capacity 117 litres  
Freezer net capacity 17 litres  
Freezing capacity: 2,5 kg/24 hr  
Rising time: 13 hrs  
Automatic defrost in fridge  
Reversible door hinge  
A+ class energy efficiency

2 glass shelves  
1 glide-out vegetable drawer  
1 dairy compartment  
1 sliding door shelf  
1 bottle shelf




# Freezer

## AGS 58200 F0

### Door on Door

Door on Door freezer compartment  
 Super insulated  
 Total net capacity 98 litres  
 Freezing capacity: 18 kg/24 hr  
 Rising time: 29 hrs  
 FROSTMATIC function (quick freeze) with automatic switch off  
 Led indicators: high temperature/quick freeze  
 High temperature / door open audible alarm  
 Reversible door hinge  
 A+ class energy efficiency

4 drawers




# Refrigerator

## SKS 51200 S0

Refrigerator  
 Super insulated  
 Total net capacity 228 litres  
 Automatic defrost  
 Reversible door hinge  
 A+ class energy efficiency


5 glass shelves  
 2 vegetable drawers  
 1 dairy compartment  
 3 shelves (1 of which for bottles)



## Fridge freezer SKS 51240 S0

Fridge freezer  
Super insulated  
Total net capacity 210 litres  
Freezer net capacity 17 litres  
Freezing capacity: 2 kg/24 hr  
Rising time: 12 hrs  
Automatic defrost in fridge  
Reversible door hinge  
A+ class energy efficiency

4 glass shelves  
2 vegetable drawers  
1 dairy compartment  
3 shelves (1 of which for bottles)




# Freezer

## AGS 56000 S0

Freezer Super insulated  
 Total net capacity 53 litres  
 Freezing capacity: 9 kg/24 hr  
 Rising time: 23 hrs  
 FROSTMATIC function (quick freeze) with  
 automatic  
 switch off  
 Led indicators: high temperature/quick freeze /  
 door open  
 High temperature / door open audible alarm  
 Reversible door hinge  
 A+ class energy efficiency

2 drawers



# Fridge freeze

## SCS 51800 S1


### Dynamic Air Technology



Fridge freezer  
 Super insulated  
 Total net capacity 277 litres  
 Freezer net capacity 75 litres  
 Freezing capacity: 4 kg/24 hr  
 Rising time: 22 hrs  
 Automatic defrost in fridge  
 Reversible door hinge  
 A+ class energy efficiency

Fridge  
 5 glass shelves  
 2 vegetable drawers  
 1 dairy compartment  
 3 shelves (1 of which sliding)  
 1 bottle shelf

Freezer  
 3 drawers





# Fridgefreezer

## SCD 71800 S1

### Dynamic Air Technology



In column fridge freezer with internal ventilation  
Super insulated

Total net capacity 275 litres

Freezer net capacity 75 litres

Freezing capacity: 12 kg/24 hr

Rising time: 24 hrs

Automatic defrost in fridge

Dynamic Air Technology (internal fan)

Separate electronic temperature control for  
fridge and freezer compartments

Digital temperature display

COOLMATIC function (quick chill)

HOLIDAY setting (energy saving mode)

FROSTMATIC function (quick freeze) with  
automatic  
switch off

Led indicators: high temperature/quick freeze

High temperature audible alarm

LED internal lights

Reversible door hinge

A+ class energy efficiency

Fridge

5 glass shelves

2 vegetable drawers


1 dairy compartment

3 shelves (1 of which sliding)

1 bottle shelf

Freezer

3 drawers



# Fridgefreezer

## SCT 71800 S1


### Dynamic Air Technology



In column fridge freezer with internal ventilation  
 Super insulated  
 NO FROST freezer  
 Total net capacity 263 litres  
 Freezer net capacity 63 litres  
 Freezing capacity: 4 kg/24 hr  
 Rising time: 21 hrs  
 Automatic defrost in fridge  
 Dynamic Air Technology (internal fan)  
 LCD display with Touch Controls  
 Electronic temperature control  
 COOLMATIC function (quick chill)  
 HOLIDAY setting (energy saving mode)  
 FROSTMATIC function (quick freeze) with automatic switch off  
 Quick freeze led indicator  
 LED internal lights  
 Reversible door hinge  
 A+ class energy efficiency

Frigorifero  
 Fridge  
 5 glass shelves  
 2 vegetable drawers  
 1 dairy compartment  
 3 shelves (1 of which sliding)

Freezer  
 3 drawers




# Dishwasher

## F 55000 VI1P

### Proclean™



ProClean™ fully integrated dishwasher  
 Fully programmable electronic control panel  
 XXL Space – for plates up to Ø 34 cm  
 12 IEC standard place settings  
 Silent Technology: 47 db (A) re1pW  
 ProClean™ System (4 spray arms and 5 levels of water jets)  
 Water Flow Control – Alternate pulse wash system  
 Sensorlogic Plus washing sensors  
 Water Sensor  
 Full protection Acqua Control system  
 Consumption for Eco 50°C programme : water: 10,8 l;  
 energy: 0,99 kWh  
 5 washing programmes :  
 Automatic 45/70°C, Intensiv Pro 70°C, 30 minutes 60°C,  
 Eco 50°C, Prewash  
 Multitab options  
 Delay start up to 24 hours  
 Digital display with programme end indication  
 Indicators: remaining time, salt and rinse aid  
 Auto Off  
 2 colour Light Control  
 ProClean™ Baskets:  
 Height adjustable upper basket with foldable racks for  
 long stemmed glasses - Bottom basket with 2 foldable  
 plate racks e sliding cutlery basket  
 Double fulcrum hinges  
 Installation in height  
 Hot water connection: reduced energy consumption up  
 to 35%  
 Black control panel




# Dishwasher

## F 65040 VI1P

### Proclean™



ProClean™ fully integrated dishwasher  
 Fully programmable electronic Touch Controls  
 Inverter Technology  
 XXL Space – for plates up to Ø 34 cm  
 12 IEC standard place settings  
 Silent Technology: 46 db(A) re1pW  
 Extra Silent Plus 44 db (A) re1pW programme  
 ProClean™ System (4 spray arms and 5 levels of water jets)  
 Water Flow Control – Alternate pulse wash system  
 Sensorlogic Plus washing sensors  
 Water Sensor  
 Full protection Acqua Controlanti flood system  
 Consumption for Eco 50°C programme : water: 9,8 l;  
 energy: 0,91 kWh  
 5 washing programmes :  
 Extra Silent 44 db(A) re1pW, AutoSense 45/70°C,  
 Intensiv Pro 70°C, 30 minutes 60°C, Eco 50°C  
 Multitab, Öko Plus options  
 Delay start up to 24 hours  
 Digital display with programme end indication  
 Indicators: remaining time, salt and rinse aid  
 2 colour Light Control  
 End of programme audible alarm  
 Auto Off  
 ProClean™ Baskets:  
 Height adjustable upper basket with foldable racks for  
 long stemmed glasses - Bottom basket with 2 foldable  
 plate racks e sliding cutlery basket  
 Double fulcrum hinges  
 Installation in height  
 Hot water connection: reduced energy consumption up  
 to 35%  
 Stainless steel control panel




# Dishwasher

## F 88065 VI1P

### Proclean™



ProClean™ fully integrated dishwasher  
 Fully programmable electronic Touch Controls  
 Inverter Technology  
 XXL Space – for plates up to Ø 34 cm  
 12 IEC standard place settings  
 Silent Technology Plus: 41 db (A) re1pW  
 Extra Silent Plus 39 db (A) re1pW programme  
 ProClean™ System (4 spray arms and 5 levels of water jets)  
 Water Flow Control – Alternate pulse wash system  
 Sensorlogic Plus washing sensors  
 Water Sensor  
 Full protection Acqua Control with Aqua Alarm anti flood system  
 Consumption for Eco 50°C programme :  
 water: 9,8 l; energy: 0,99 kWh  
 8 washing programmes :  
 Extra Silent Plus 39 db (A) re1pW, AutoSense 45/70°C,  
 Intensiv Pro 70°C, ProZone, 30 minutes 60°C, Glass 45°C, Eco 50°C, Prewash  
 Multitab, Extra Hygiene options  
 Delay start up to 24 hours  
 Digital display with programme end indication  
 Indicators: remaining time, salt and rinse aid  
 TimeBeam™ Technology  
 End of programme audible alarm  
 Auto Off  
 ProClean™ Plus Baskets:  
 Height adjustable upper basket with foldable racks for long stemmed glasses, SoftSpikes glass supports, long cutlery basket - Bottom basket with 4 foldable plate racks e sliding cutlery basket  
 Interior LED light  
 Double fulcrum hinges  
 Installation in height  
 Hot water connection: reduced energy consumption up to 35%  
 Stainless steel control panel



# Dishwasher

## F 65402 VI0P

### Proclean™



ProClean™ fully integrated dishwasher  
 45 cm wide  
 Fully programmable electronic control panel  
 9 IEC standard place settings  
 Silent Technology Plus: 46 db (A) re1pW programme  
 ProClean™ spray arm  
 Water Flow Control – Alternate pulse wash system  
 Sensorlogic Plus washing sensors  
 Water Sensor  
 Full protection Aqua Control anti flood system  
 Consumption for Eco 50°C programme : water: 8,5 l;  
 energy: 0,78 kWh  
 5 washing programmes :  
 Automatic 45/70°C, Intensiv Pro 70°C, 30 minutes 60°C,  
 Glasses 45°C, Eco 50°C  
 Multitab, Extra Hygiene options  
 Delay start up to 24 hours  
 Digital display with programme end indication  
 Indicators: remaining time, salt and rinse aid  
 Auto Off  
 End of programme audible alarm  
 2 colour Light Control  
 Height adjustable upper basket with foldable racks for  
 long stemmed glasses  
 Bottom basket with 2 foldable plate racks e sliding  
 cutlery basket  
 Double fulcrum hinges  
 Hot water connection: reduced energy consumption up  
 to 35%  
 Stainless steel control panel

