


[illegible]

Fig. D2 Model 7133 - timer chart



TPB/7133/102/MAY 83

Fig. D3 Model 7133 - wiring diagram




Fig. D1 Model 7133 - circuit diagram and contact chart

7133 Contact - impulse guide

IMPULSE

1.23
 2.10.12.14.19.24.30.32
 3.25
 4.26
 5.6.7.8.27.28.
 9.29
 11.13.15.31.33

 16.34.37
 17.35.38
 18.36
 20.
 21.
 22.
 39.
 40.
 41.
 42.54.58.
 43.
 44.
 45.
 46.48.51.53
 47.
 49
 50.52
 55.59
 56.
 57.
 60.

CONTACTS CLOSED

7B 3A 1B 10A 2A 5B 11A 13A 15A 14A
 7A 3A 1B 4A 2A 5A 11A
 3A 4A 10B 2A 5A 11A 13A-B
 7B 3A 1A 4B 9A 10A 2A 5B 11A
 3A 1B 9A 10A 2A 5A 11A
 3A 1B 6B 10A 2A 5A 11A
 3A 1B 6A 10A 2A 5A 11A

 7A 3A 1B 6A 4A 2A 5A 11A
 7A 3A 6A 4A 12B 2B 5A 8A 11B
 3A 1B 6A 9B 10A 2A 5A 11A
 7A 3A 4A 12B 2B 5A 8B 11B
 7A 3A 4A 12B 2B 5A 8A 11B
 2A 11A
 7A 3A 6A 4A 12B 2B 5A 8A 11B
 1A 6A 2A 11A
 7B 3A 1A 6A 2A 5B 11A 13A 15A 14A
 7A 3A 1A 4A 2A 5A 11A
 3A 6A 4A 10B 2A 5A 11A
 7B 3A 1A 6A 4B 9A 10A 2A 5B 11A
 3A 1B 6A 9A 10A 2A 5A 11A
 3A 1A 6B 10A 2A 5A 11A
 7B 3A 6A 10A 2A 5B 11A
 3A 1A 6B 4A 10A 12A 2A 5A 11A
 7A 3A 4A 2A 5A 11A
 7A 3A 4A 12B 2B 5A 8B 11B
 3A 10A 6B 9B 5A 1A 2A 11A
 3A 2A 5A 11A
 12A 2A 5A 11A

OPERATION

Heat & tumble when filled
 Pump & tumble
 Prefill & tumble
 Heat & tumble when filled
 Tumble when filled
 Cooling rinse
 Tumble when filled,rinses.
 Water level by selection
 Pump & tumble
 Pump & spin,400.
 Additive & tumble
 Pump & spin,400.
 Pump & spin,800.
 Stop.
 Pump & spin,800.
 Stop.
 Heat & tumble when filled.
 Pump & tumble
 Prefill,Static.
 Heat & tumble when filled.
 Tumble when filled.
 Tumble when filled.
 Heat static
 Cooling rinse,metered.
 Pump,static
 Pump,spin 400
 Additive rinse & tumble.
 Pause with water,timer runs
 Stop.